


1/15



2/15




FIG. 2

00010000-00001

3/15




FIG. 3

FIG. 3 - 5/26/2000

4/15




FIG. 4

004093-0001

A




FIG. 4A

FILED OCT 26 2006

6/15




FIG. 5A

7/15

System Management GUI - Netscape

File Edit View Go Window Help

Back Forward Reload Home Search Guide Print Security Stop

Bookmarks Go to: www

Internet Lookup New & Cool

subzero.sw.stratus.com

LCD
POST: 18

Host:
subzero.sw.stratus.com
Windows NT 4.0 Patch 1.0
BIOS Revision 4.0
4 Pentium III 800MHz Processors
SMM:
IP Address: 192.168.1.2
Primary SMM
VxWorks 5.3
VGA BIOS Stratus 8.0
32 MB RAM

Logos Remote Console Telnet Session User Accounts

SMM Communication Information System Boot Configuration SMM IDPROM

Welcome Host Information System Control SMM Control & State Information

System Boot Settings

Normal (Fault Resilient Boot)

Board Pair

Heartbeat Period Default Custom Failure Interval Default Custom

CPU1 I/O1 1000 3000

CPU2 I/O1 1000 3000

CPU3 I/O1 1000 3000

CPU1 I/O2 1000 3000

CPU2 I/O2 1000 3000

CPU3 I/O2 1000 3000

Override

CPU1 I/O2

Manual Boot Options

Bypass Bad Hardware

Initiate Crisis Recovery

Default (None of the Above)

Accept Settings

Return to Factory Default Settings

AppletSysMgmtGuiApplet started

FIG. 5B

8/15




FIG. 6

FIG. 6

9/15




FIG. 7




FIG. 8

10/15




FIG. 8A

000109260001




FIG. 8B

12/15




FIG. 9



14/15




FIG. 11




FIG. 12

FIG. 12: Firewall